



Wall-hung urinal for waterless system. Stainless steel. polished finish

Description

- Bacteriostatic AISI 304 stainless steel wall hung urinal.
- Durability and corrosion resistance.
- Bright stainless steel finish.
- Satin finish also available (NOFER 13004.70.S).
- Equipped with waterless valve.

Suggested text for prescription

NOFER waterless wall-mounted urinal, made of AISI 304 stainless steel, polished finish, equipped with waterless valve.

Dimensions: 600 H x 360 W x 395 D (mm).

Components

- Stainless steel urinal.
- Waterless valve.
- No siphon required.
- Fixing screws not included.

Technical characteristics

Material: AISI 304 stainless steel

Plate thickness: 1.2 mm

Finishing: polished





Dimensions: 600 height x 360 width x 395 depth (mm)

Diameter of waterless valve: Ø38 mm

Maintenance

Stainless steel requires maintenance as dirt over time can damage the chromium (Cr) contained in stainless steel. We recommend a monthly cleaning with a specialized product for stainless steel.

Dimensional drawing



Ctra. Laureà Miró, 385-387
08980 | Sant Feliu de Llobregat,
Barcelona - Spain
T. +34 934 742 423
F. +34 934 743 548
nofer@nofer.com
www.nofer.com

RELATED
PRODUCTS



06028.B



13004.70.S



13004.B

These specifications may be modified and/or amended due to manufacturing requirements.